## WEEKLY SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN WEEK ENDING 29 JUNE 1946

- (C) Current cases, plus delayed reports.
- (T) Total cases for year to date.
- (T\*) Total cases from 2 June 1946.

PREFECTURE	DIPHTNERIA	DYSENTERY (C) (T)	EPIDENIC NEWINGITIS (C) (T)	PARA- TYPHOID (C) (T)	SCARLET FEVER (C) (T)	SFIALLPOX (C) (T)	TYPHOID (C) (T)	EPIDEMIC TYPHUS (C) (T)	MALARIA (C) (T)*	JAPANESE "B" ETCEPHALITIS (0) (T)*
HOKKAIDO AOMORI IWATE MIYAGI AKITA YAMAGATA FUKUSHIMA IBARAKI TOCHIGI GUMMA SAITAMA CHIBA TOKYO KANAGAWA MIIGATA TOYAMA ISHIKAWA FUKUI YAMAMASHI MAGAMO GIFU SMIZUOKA AICHI MIE SHIGA KYOTO OSAKA	61 1905 15 433 11 382 13 541 14 486 22 636 29 635 6 261 14 524 2 161 7 526 11 509 30 1358 13 608 18 823 253 17 583 7 215 2 91 10 353 4 323 13 600 21 1204 12 690 9 412 679 34 745	14 63 43 19 57 19 55 43 12 70 24 81 18 59 71 165 25 81 165 225 60 3 6 2 10 17 24 44 6 36 15 61 77 236 21 112 17 41 23 17 126 9 70	- 158 - 45 - 35 - 54 - 16 - 32 - 44 - 10 - 13 1 - 14 3 25 - 16 - 3 - 2 - 17 - 7 - 30 - 21	16 382 - 48 4 44 2 86 1 11 22 149 8 81 2 82 10 132 - 30 5 52 1 57 15 287 1 103 13 139 3 29 3 14 2 25 3 16 15 52 1 15 52 1 15 52 1 17 5	9 182 - 10 - 4 2 34 - 12 - 15 1 29 3 12 - 24 - 32 - 15 9 186 1 34 - 2 3 - 3 - 46 - 3 39 - 46 - 5 39 - 6 39 - 7	19° 2261 - 72 - 49 - 110 - 65 - 113 1 226 1 167 - 72 - 205 - 216 6 1513 3 414 - 130 - 169 - 115 - 144 4 84 1 163 1 249 - 250 1 172 - 230 - 161 7 680 7 2426	45 990 6 428 10 319 21 386 7 196 35 428 55 890 21 491 36 831 18 423 23 617 16 325 18 149 10 185 4 114 10 413 15 601 20 742 34 659 17 493 6 127 15 863 39 866	141 2041 5 822 1 118 37 426 1 210 26 506 17 252 9 254 - 156 - 105 8 685 9 322 43 9424 4 556 10 110 1 39 - 76 - 53 2 128 2 235 1 82 1 77 5 1086 - 75 62 13 1054 13 6377	1 7 29 31 80 118 15 41 11 51 60 106 13 2 4 1 6 8 1 72 78 145 16 55 18 93 41 6 7 26 171 26 105 11 37 56 56	NR 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

-					7												-			
PREFECTURE	DIPH	THERIA	DYS	EUTERY	MENINO			RA- HOID	SCAR FEV		STIA	ALLPOX	TIP	HOID	EPIDEMIC TYPHUS		MALARIA		JAPANES: ENCEPHA	
	(C)	(T)	(C)	(T)	(C)	(T)	(c)	(T)	(0)	(T)	(C)	(亚)	(c)	(里)	(c)	(T)	(c)	(T)*	(C)	(T)*
HYOGO NARA WAKAYANA TOTTORI SHIMAME OKAYANA HIROSHINA YANAGUCHI TOKUSHINA KAGAWA EHINE KOCHI FUKUOKA SAGA NAGASAKI KUNAMOTO OITA MIYAZAKI KAGOSHINA	6 5 3 5 19 15 22 12 7 10 12 MR 10 21 12 9 15	1015 281 375 248 463 604 778 1178 377 549 643 809 1611 496 532 21.7 556 340 436	6 1 1 16 16 22 6 4 56 34 18 69 70 81 14 80 95	56 5 10 24 22 26 186 96 34 44 147 273 161 196 323 200 43 658 464		14 - 1 8 3 3 4 2 3 9 4 3 3 6 10 30 3 4 12 17	1 1 1 1 1 - 5 2 4 0 3 1 R 2 5 2 1 3 5	152 19 27 18 62 11 96 33 12 45 33 19 182 49 46 18 18 49 21	1	26 7 11 55 20 9 14 21 2 12 13 16 - 2 7 2	31 1 1 5 -1 1 -5 	2149 399 222 53 123 226 390 127 172 252 155 410 52 315 53 41 155	18 4 5 9 20 32 44 7 21 9 18 23 18 16 5 2 12 11	1552 267 326 144 349 506 744 159 302 211 201 326 732 115 244 126 95 208 102	42 - 1111 - 35 - NR	2544 169 79 44 20 124 54 75 17 65 30 38 460 41 435 9 31 21 50	5 - 25 53 96 35 37 69 73 7 - 94 11 20 33 30 51	56 - 59 59 32 31 200 102 146 199 235 53 - 94 23 27 53 103 312	1 1 - WR	וווחחמומו ווחחווווווו
TOTALS	608	27,644	1,041	5,057	g	928	212	3,408	43	1037	69	17,492	343	21,736	367	29,939	1322	/3278	G	23
*RATE	43.9	90	75	16	•58		15.3	1	3.1	10	4.	98	60.	56	26.	.50 .	95	.45 .	0.58	

\*Rate /100,000/ annum for current week.

Cholera: Yamaguchi 2
Saga 37
Total 39 (2.52)

Dengue Fever: Yamanashi 4 (0.29)

Prepared by: Public Health & Welfare Section, GHQ, SCAP, (from Japanese sources)

Plague: 0

SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN FOR FIVE WEEK PERIOD ENDING 29 JUNE 1946

Page I
(C) Cases
(R) Rate /100,000/ annum


	PREFECTURE	DIPHT	HERIA	DYSE	TERY	1 1	ENIC GITIS	PAI TYPE	RA-	SCAR! FEVI		SHAL	LPOX	TYF	HOID	EPID:		CHOI	ERA		
		(c)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(0)	(R)	(c)	(R)		
	HOKKAIDO	316	93.54	16	4.74	25	7.40	115	34.04	47	13.91	190	56.24	421	124.62	915	270.64	-	-		
	AOMORI	70	67.20	15	14.40	2	1.92	6	5.76	3	2.88	5	4.80	36	34.56	52	49.92	-	-		
	ETAWI	78	66.14	43	36.46	17	14.42	15	12.72	3	2.54	1	0.85	79	66.99	13	12.72	-	-		
	MIYAGI	77	54.52	6	4.27	12	8.54	22	15.66	24	2.85	5	3.56	103	73.34	118	84.02	-	-		
	AKITA	77	66.07	26	22.31	1	0.86	4	3.43	3	2.57	-	-	43	36.89	22	18.88	-	-		
	YANAGATA	100	78.40	25	21.95	9	7.06	48	37.63	3	2.35	3	2.35	150	117.60	85	66.64	_	-		
	FUKUSHIMA	98	52.14	571	12.77	12	6.38	29	15.43	10	5.32	17	9.04	355	158.86	92	48.94	6	3.19		
	IBARAKI	31	20.53	46	30.91	7	4.70	25	16.50	5.	3.36	17	11.42	119	79.97	50	33.60	-	-		
	TOCHIGI	82	55.10	34	22.85	1	0.67	41	27.55	6	4.03	2	1.34	192	12902	47	31.58	-	-		
	GULTIA	22	14.78	131	68.03		1	1	0.67	1	0.67	-	-	56	37.63	12	8.06	-	-		
	SAITAMA	65	33.02	51	25.91	2	1.02	20	10.16	12	6.10	1	0.51	110	55.88	110	55.88	-	-		
	CHIBA	108	57.02	28	14.78	4	2.11	10	5.28	3	1.58	ކ	2.11	160	g4.4g	75	39.60	-	-		
	TOKYO	187	55.73	106	31.59	16	4.77	58	17.28	35	11.32	57	16.99	159	47.38	1018	303.36	-	-		
	KAHAGAWA	73	40.73	102	56.92	3	1.67	48	26.75	6	3.35	25	13.95	162	101.56	53	46.31	-	-		
	NIIGATA	118	51.45	20	5.72	2	0.67	52	22.67		-	5	2.18	235	102.46	27	11.77		3.10		
						The state of the s		80.191						Linger		FILE		THE REAL PROPERTY.	nBu -		

	PREFECTURE			DYSENTERY		EPIDENIC MENINGITIS		PARA- TYPHOID		SCARLET FEVER		SMALLPOX		TYPHOID		EPIDEMIC TYPHUS		Page	II ———————————————————————————————————
		(C)	(R)	(C)	(R)	(c)	(R)	(C)	(R)	(0)	(R)	(c)	(R)	(c)	(R)	(0)	(R)	(C)	(R)
	AMAYOT	42	45.78	6	6.54	-	2.18	11	11.99	-	-	21	22.59	102	111.18	4-	4.36	-	Name .
	ISHIKAWA	69	80.87	74	4.69	-	-	6	7.03	-	-	23	26.96	37	43.36	7	5.20	-	-
	FUKUI	32	45.89	9	12.91	-	-	5	7-17	-		7	10.04	38	54.49	1	1.43	-	
	YATAWASHI	13	16.12	30	37.2	-	-	14	17.36	-	-	8	9.92	19	23.56	36	44.64	-	-
	MAGANO	43	21.07	20	9.50	2	0.98	23	13.72	8	3.92	1	0.49	69	33.81	47	23.03	-	-
	GIFU	26	17.78	49	33.52	-	_	16	10.94	1	0.68	6	4.10	80	54.72	16	10.94	-	-
	SEIZUOKA	109	51.01	133	62.24	. 2	0.94	49	22.93	12	5.62	18	8.42	181	84.71	10	4.68	2	0.94
	AICEI	135	50.23	50	15.20	-		20	7.25	6	2.18	12	4.37	130	47.32	38	13.83	1	0.36
	FIN	81	60.43	22	16.41	1	0.75	24	17.90	1	0.75	3	2.24	75	55.95	5	3.73	-	-
	SEIGA	43	51.94	12	14.50	-	-	2	5.75	3	3.62	14	4.83	30	36.24	4	4.83	-	-
	MYOTO	62	40.18	53	34-34	7	4.54	17	11.01	10	C.46	88	57.02	114	73.67	44	26.51	1	0.65
	OSAKA	99	36.53	30	11.16	Ţ	1.49	11	4.09	5	1.86	145	53.94	99	36.83	40	14.66	-	-
	EYOGO	146	53.73	21	7.73	3	1.10	26	9.57	5	1.84	64	23.55	322	116.50	102	37.54	peng	-
	MARA	35	46.70	1	1.33	-	_	1	1.33	-	- 10	27	36.02	26	34.68	8	10.67		-
	WAKAYANA	53	56.94	2	2.22	1	1.11	12	13.34	1	1.11	12	13.34	103	114.54	12	13.34	-	-
	TOTTORI	21	38.77	3	5.54	3	5.54	3	5.54	-	-	3	5.54	42	77.53	14	25.54	-	-
	SHIMANT	46	55 • 57	3	3.62	1	1.21	37	44.70	1	1.21	7	8.46	96	115.97	2	2.42	-	-
																			4
-								1								1			D. F

					EPIDEMIC PARA-				SCAR	SCARLET					EPIDE	EPIDENIC		e III
PREFECTURE		FHERIA		HTERY		GITIS	TYP		FEV.	-	STALI			HOID	TYPE		CHOI	
	(C)	(R)	(0)	(R)	(C)	(R)	(0)	(R)	(0)	(R)	(C)	(E)	(C)	(R)	(C)	(R)	(0)	(R)
OKAYAMA	68	45.15	11	7.30	1	0.66	7	4.65	3	1.99	1	0.66	83	55.11	5	3.32	-	-
HIROSHIMA	91	50.23	46	25.39	14	2.21	43	23.74	6	3.31	13	7.15	200	110.4	10	5.52	-	-
YAMAGUCHI	154	117.96	51	39.07	3	2.30	9	6.59	7	5.36	<u>)</u>	3.06	41	31.41	16	12.26	13	9.96
TOKUSHIMA	56	69.66	12	14.93	1	1.24	9	11.20	-	_	13	16.17	79	98.28	2	2.49	-	-
KAGAWA	49	59.0	25	30.10	1	1.20	Syt	28.90	2	2.41	47	56.59	50	60.20	10	12.04	-	-
BEILE	105	80.22	104	79.46	-	-	4	3.06	2	1.53	7	5.35	51	38.96	6	4.58	-	-
MOCHI	106	142.04	180	241.2	-	-	5	6.70	1	1.34	6	8.04	102	136.63	1	1.34	-	-
FUKUOKA	654	247.21	99	37.42	35	13.23	93	35.15	14	1.51	169	63.88	374	141.37	206	77.87	1	0.38
SAGA	90	112.68	182	227.86	2	2.50	12	15.02	1	1.25	-	-	25	31.30	1	1.25	55	68.86
PAGASAKI	95	77.22	259	204.09	5	3.94	7	5.52	1	0.79	11	8.67	57	44.92	14	11.03	28	22.06
OTOMAMUN	Jt5	28.06	168	112.22	3	2.00	6	4.01	-	-	1	0.67	49	32.73	14	2.07	-	-
ATIO	53	48.97	29	26.80	-	-	5	4.62	1	0.92	-	-	26	25.87	1	0.92	-	-
INAZAKI	67	75.95	338	383.79	1	1.13	20	22.68	3	3.40	-	-	30	90.72	1	1.13	-	-
KAGOSHIMA	65	43.94	342	231.19	1	0.63	7	4.73	-	-	4	2.70	29	19.60	24	16.22	-	-
TOTALS	4,258	61.49	2,970	42.89	194	2.30	1,027	14.63	223	3.29	1057	15.26	5211	75.25	3,412	49.27	107	1.55

Plague: 0

Prepared by: Public Health & Welfare Section, GRQ, SCAP: (from Japanese sources)



## WEEKLY SUBJARY REPORT OF

VEHEREAL DISEASES IN JAPAN WEEK ENDING 29 JUNE 1946

Current cases, plus delayed reports.
Total cases for year to date. (0) (I)

SYPHILIS (C) (T)	では、	1,417 25,649	100.75
GONORRERA (C) (T)		2,733 51,664	194.32
CEAMCROID (C)	るす - でいっとしばられるでののいっとう。そのはこうとう。こうののすでとなってでしまった。 どったいっというないないないない。 たったいはいいにはいいいいにはいいいいにはいいいにはいいない。 たったいにはいいいにはいいいにはいいいにはいいにはいいいにはいいにはいいにはいいには	562 11,627	39.96
PREFECTURE	HOKKAIDO AONORI IWATE WIYAGI AKITA TURAGATA TURAGATA TOCHIGI GULHA SAITAMA CHIBA CHIBA TOTAMA	TOTALS	*RATE

\*Rate /100,000/ ennum for current week.

Prepared by: Public Health & Welfare Section, GHQ, SCAP. (from Japanese sources)

